



VACCINES

Andrew R. Dyer, DC, DABCA

April 12th, 2011

www.3000health.com



What will be covered today?

- Brief History of Vaccines
- What are your (healthier) alternatives?
- Specific Side Effects related to Vaccinations
- What you can do to keep your kids in school even if they aren't vaccinated?
(see the **Resources** page of www.3000health.com for more details)



Polio

- Polio was disappearing naturally after it had peaked in 1949: "It is commonly believed the Salk vaccine was responsible for halting the polio epidemics that plagued American children in the 1940s and 1950s. If so, why did the epidemics also end in Europe, where polio vaccine was not so extensively used? Doctors admit that 40% of our population is not immunized against polio. So where is polio?" --*Robert Mendelsohn, MD*



In US Congressional hearings...

- It was revealed that statistics were "cooked" to "prove" that the mass inoculation campaign was working. Cases formerly reported as polio were instead called meningitis. Statistics for the incidence of polio decreased, but those for meningitis soared. --*Intensive Immunization Programs, Hearings before the Committee on Interstate and Foreign Commerce, House of Rep, 87th Congress, 2nd Session on H.R. 10541, Washington DC*



Personalized Dosages?


- The 5 pound premature baby will get the same as a 60 pound 6 yr old. There is NO personalization for weight, health or any other reason.
- A single vaccine given to a 6 pound newborn is the equivalent of giving a 180 pound adult 30 vaccinations on the same day.



Sudden Infant Death Syndrome (SIDS)


- In 1975, when Japan raised the minimum age to receive vaccines from 2 months to 2 years, crib death virtually disappeared, as did meningitis, other infectious disease in infants and infantile seizures. Japan jumped from 17th in infant mortality to 1st. However, Japan was soon faced with a new crop of neurologically damaged two-year-olds.

--Cherry JD, Brunnell PA, Golden GS, Karzon DT et al. Report of the task force on pertussis immunization 1988, PEDIATRICS – 939-984



Do Childhood Vaccines Work?

- The combined death rate from scarlet fever, diphtheria, whooping cough and measles among children up to 15 shows that nearly 90% of the total decline in mortality between 1860 and 1965 occurred before the introduction of antibiotics and widespread immunization. --Ilich I. *Medical Nemesis. Chapter 1-The Epidemics of Modern Medicine, NY: Bantam Books, 1976.*




So why did the Mortality rates decline?

- Better nutrition = healthier bodies
 - Less crowded homes
 - Running Water
 - Hot Water
 - Flush Toilets instead of open sewage systems in cities
 - Better Standards of Living
 - Better Water Quality
- These once feared diseases became mild.

Death Rates (Measles, Pertussis and Scarlet Fever)



- (Measles) had decreased 98% before the vaccine was introduced.
- (Pertussis) had declined by 79% before the vaccine was introduced in 1935, but there were no immunization laws and it didn't get used much until the 1950s at which time the death rate had already declined by 99%
- (Scarlet Fever) disappeared with no vaccine ever produced. Bubonic plague and typhoid fever disappeared with no immunizations either.

The Pertussis Death Rate was Decreasing on its Own Before the Vaccine was Introduced





Copyright © 2002, Neil Z. Miller

From 1900 to 1935, before the pertussis vaccine was introduced, the death rate from pertussis in the United States and England had already declined on its own by 79 percent and 82 percent, respectively. Source: *International Mortality Statistics* (1981) by Michael Alderson.



Cases of Polio *Increased* in the U.S. After Mass Inoculations



Copyright © 2002, Neil Z. Miller

When national immunization campaigns were initiated in the 1950s, the number of reported cases of polio following mass inoculations with the killed-virus vaccine was significantly greater than before mass inoculations, and may have more than doubled in the U.S. as a whole. Source: U.S. government statistics.

Polio or Aseptic Meningitis?



Sample Months	Reported Cases of Polio	Reported Cases of Aseptic Meningitis
July 1955 (<i>Before</i> the new polio definition was introduced)	273	50
July 1961 (<i>After</i> the new polio definition was introduced)	65	161
September 1966 (<i>After</i> the new polio definition was introduced)	5	256

Copyright © 2002, NZM

Cases of polio were more often reported as aseptic meningitis *after* the vaccine was introduced, skewing efficacy rates. Source: Morbidity and Mortality, Reportable Diseases; *The Los Angeles County Health Index*.

What is Gardasil?

- **Gardasil** is the world's first vaccine against certain types of the [human papillomavirus](#) (HPV).
- It was created by researchers Dr. Albert Bennet Jenson and Dr. Shin-je Ghim at the [University of Louisville](#) in 2006, following on research done by Professor Ian Fraser of Australia in conjunction with Australian biomedical company, [CSL Limited](#).
- The vaccine, marketed by [Merck & Co.](#) in America, will be paying royalties to CSL, is designed to [prevent infection with HPV](#) types 16, 18, 6, and 11.
- HPV types 16 and 18 cause about **70%** of HPV-related cervical cancer cases. HPV types 6 and 11 cause about 90% of genital wart cases.

Gardasil in the News...

Spain Withdraws Gardasil After Illnesses


Spanish health authorities have withdrawn tens of thousands of doses of Gardasil, a vaccine against the human papillomavirus vaccine (HPV), after two teenagers who received the shots were hospitalized.

The two girls were vaccinated last week as part of a vast government program targeting adolescents. A batch of nearly 76,000 doses of the vaccine has been withdrawn from the market.

The vaccine has been available since 2006.


Sources: [AFP February 10, 2009](#)





The Stories you never hear...

- Christina Tarsell, a 21-year-old college student majoring in studio arts at Bard College, who died suddenly and without explanation shortly after receiving the third Gardasil shot in June 2008.
- Gabrielle, a 15-year-old former gymnast and cheerleader who can no longer attend school and is suffering from severe headaches, heart problems and seizures since getting the vaccine. She has been diagnosed with Inflammation of the Central Nervous System as a result of a Gardasil vaccine reaction, and her condition continues to deteriorate.
- Megan, a 20-year-old college student who died suddenly, without explanation, about one month after receiving her third Gardasil shot. No cause of death was found.
- Ashley, a 16-year-old who became chronically ill after receiving Gardasil, and now suffers regular life-threatening episodes of seizure-like activity, difficulty breathing, back spasms, paralysis, dehydration, memory loss and tremors.



More Numbers on Injuries

- Using the MedAlerts database, compiling data for VAERS through November 30, 2008, NVIC found that compared to Menactra, Gardasil is associated with:
 - at least TWICE as many Emergency Room visit reports (5,021),
 - FOUR times as many Death reports (29)
 - FIVE times as many "Did Not Recover" reports (2,017)
 - SEVEN times as many "Disabled" reports (261)
- There have been 34 reports of thrombosis, 27 reports of lupus, 23 reports of blood clots, 16 reports of stroke, and 11 reports of vasculitis following Gardasil vaccine given alone without any other vaccines. There are three to six times more fainting or syncope reports after Gardasil vaccination than after Menactra and there have been 544 reports of seizures following Gardasil and 158 after Menactra (73 Menactra-associated seizures involved co-administration with Gardasil).



Gardasil

- National Vaccine Information Center (www.NVIC.org) found that there are three to 30 times more serious health problems and deaths reported to VAERS after Gardasil vaccination.
- As reported by CBS News, the longtime vaccine safety watchdog group is calling for action, including an investigation by the Department of Health & Human Services (DHHS) and the U.S. Congress into the fast-tracked licensure and government recommendation that all young girls and women get Gardasil vaccine.
- **"Merck only studied the vaccine in fewer than 1200 girls under age 16 and most of the serious health problems and deaths in the pre-licensure clinical trials were written off as a 'coincidence,'"** said NVIC co-founder and president, Barbara Loe Fisher.
- "If the new Administration and Congress want to make government recommended health care safer, more effective and less expensive, a good place to start is by looking into the human and economic costs of Gardasil vaccine."



What About...

- That means that 30% of cancers are unaccounted for and the real key is: **Most HPV infections clear on their own by the bodies own immune defenses.**
- RISKS vs. BENEFITS?



What Makes The Gardasil Vaccine Even More of a Rip-Off?

- It's intended to prevent a virus (human papilloma virus, or HPV) your body can clear up on its own, and does so **more than 90 percent of the time!**
- At least 50 percent of sexually active men and women acquire genital HPV infection at some point in their lives, according to the National Prevention Information Network (NPIN). Most often, the infection causes no symptoms at all, and is easily cleared up by your immune system. In some cases the infection can result in genital warts, and much less often, cervical and other genital cancers.


Even the National Cancer Institute says:

"It is important to note, however, that the great majority of high-risk HPV infections go away on their own and do not cause cancer."




For Maximum Money Making Prowess

- For maximum efficacy, it is recommended that girls receive the vaccine prior to becoming sexually active. Since Gardasil will not block infection with all of the HPV types that can cause cervical cancer, the vaccine should not be considered a substitute for routine **Pap smears**.
- Dr. Frank Strehl of Wheaton, IL points out that many young girls become infected with HPV strains from having Pap smears done with improperly sterilized specula.




- *Gardasil vaccine ingredients* include amorphous aluminum hydroxyphosphate sulfate, sodium chloride, L-histidine, polysorbate 80, sodium borate, (roach killer), and water for injection.
- Gardasil vaccine ingredients - Polysorbate 80: Although Polysorbate 80 is a food additive that enables solubility of flavoring oils with water, injection is quite different.
- **Polysorbate 80 injected into prepubescent rats caused a rapid growth of reproductive organs, but growth was abnormal and the rats were sterile, unable to have children.** When used intravenously with **vitamins** it has been known to cause anaphylactic shock. According to the Polysorbate 80 MSDS, it may be a carcinogenic, (cause cancer), as well as a mutagenic, (birth defects).
- Sodium Borate, AKA Roach Killer: From the National Library of Medicine, "Sodium borate is no longer used in medical preparations", until now. The U.S. National Library of Medicine and the National Institutes of Health declares Sodium Borate to be a dangerous poison. Two of the medical uses of the past were for disinfecting wounds, until people started dying from repeated cleaning and cleaning nursery's, (until too many babies started dying)
- Side effects of Roach killer (Sodium borate) are vomiting, diarrhea, skin rash, blisters, collapse, coma, convulsions, drowsiness, fever, lack of desire to do anything, low blood pressure, decreased urine output, sloughing of the skin, twitching of facial muscles, arms, hands, legs, and feet.



Side Effects


- Adverse effects can include local limited reactions at the site of injection, such as pain, swelling, redness, and itching. Other adverse effects, including seizures, fevers, joint pain, lack of consciousness, and **Guillain-Barré syndrome**, have been filed with **VAERS** (Vaccine Adverse Event Reporting System);
- Because these events resulted from complex real-life situations and not controlled tests, it is difficult to determine what role, if any, Gardasil played in these episodes. **But wouldn't Gardasil be given during complex real-life situations such as ADOLESCENT development and into ADULTHOOD?????????**

- 
- Legislation has been introduced in the state of [Michigan](#) to make Gardasil mandatory. If passed, this would make it the first state to require that its school children be vaccinated.
 - [Texas Governor Rick Perry](#) issued an executive order on [February 2, 2007](#) mandating the vaccine be given to all school girls entering sixth grade, beginning September 2008. By going through an executive order, the Texas Legislature has little recourse in repealing the to-be mandatory vaccinations, but aides for various members of the legislature have said they are looking for legal ways around the order. On [February 22, 2007](#) a group of Texas families filed a lawsuit to stop the executive order.
 - Adding to the criticism of Perry's order is Merck's campaign contributions to Rick Perry and what is viewed by some as a high price of the vaccine which is approximately [\\$US360](#) in Texas. Being a patent protected vaccine, Merck is the sole producer.




The REAL RISK...

- The real risk is that research scientists do not yet know what the potential long term side effects of such injections could be.
- The vaccine has only been in use since 2006 and it is possible that we'll have to wait decades before the true ramifications of this virulent poison are fully known and understood.



Cervical Cancer Cases Declining

- Even without the vaccine, the number of cervical cancer cases is trending downward and has been for years. (This is only true in the U.S.)
- Smoking rates have also declined, are these inter-related?
- Worldwide it is one of the top cancer killers of women because women in many other countries have limited access to Pap tests and other health services.
 - BUT WAIT



On the Decline...before Vaccines

- "Cervical cancer has gone from being one of the top killers of American women to not even being on the top 10 list. This year cervical cancer will represent just 1 percent of the 679,510 new cancer cases and 1 percent of the 273,560 anticipated cancer deaths among American women. By contrast, some 40,970 women will die of breast cancer and 72,130 will die of lung cancer.

According to the **American Cancer Society**, "Between 1955 and 1992, the number of cervical cancer deaths in the United States dropped by 74 percent. Think about it: 74 percent."



Does it Work?

- And straight from the **FDA**:
“The duration of immunity following a complete schedule of immunization with GARDASIL has not been established.”
- They are not even sure that it will work and for how long it will work...
- And they couldn't possibly know about the long term ramifications or potential side effects that may not show up in the next one or two years but maybe more like one or two decades...



What can you do today?

- Well this is somewhat of a moral topic but since the main increase in incidence in development of HPV cases hinges on the following wouldn't it be nice to know:
 - #1. Early age of sexual activity
 - #2. Multiple sexual partners
 - #3. Women who smoke tobacco have an increased risk of developing cervical neoplasia (cancer)
 - #4. Women who use oral contraceptives for longer than 5 years have an increased relative risk of developing cervical carcinoma



What about your Immune system?

- Keep the immune system strong by avoiding smoking and excessive alcohol use.
- Use a variety of organic fruits and vegetables in your diet for vitamin/mineral/anti-oxidant effects
- Routine supplementation with anti-oxidants such as Vitamin A, C, E, and CoQ10.



Harris Coulter, Ph.D.

- "A major cause of the Roman Empire's decline, after six centuries of world dominance, was its replacement of stone aqueducts by lead pipes for the transport and supply of drinking water. Roman engineers, the best in the world, turned their fellow citizens into neurological cripples. Today our own "best and brightest," with the best of intentions, achieve the same end through childhood vaccination programs yielding hyperactivity, learning disabilities, autism, appetite disorders, and impulsive violence."



Viera Scheibner, PhD

- “Not only do vaccines not prevent any infectious diseases...they have caused more suffering and death than any other medical intervention”
- “It will be decades before the mopping-up after the disasters caused by childhood vaccinations will be completed. All vaccines should cease forthwith and all victims with side-effects should be properly compensated.
 - Scheibner, V *Immunization: The Medical Assault on the Immune System, Blackheath, Australia; Author, 1993*



What are the real numbers?

- By Dec 2002, VAERS received 244,424 reports of possible reactions to vaccines including:
 - 99,145 emergency room visits
 - 5,149 life-threatening reactions
 - 27,925 hospitalizations
 - 5,775 disabilities and
 - 5,309 deaths



Massive Increase in Number of Vaccines Given

- In the past three decades, the numbers of doses of government recommended vaccines for children and medical organizations like the American Academy of Pediatrics has tripled to 69 doses of 16 vaccines, with 48 doses of 14 vaccines targeted to children under age six.
- "Pharma" lobbyists have persuaded most states to pass laws requiring two to three dozen doses of most of the 16 government recommended vaccines. Last year New Jersey became the first state to mandate influenza vaccine for children attending daycare and school.



Dr. Jefferson (British Medical Journal)

- In the past few years, Dr. Jefferson has authored several independent reviews of influenza studies published in the medical literature for the Cochrane Collaboration, which have been published in the British Medical Journal, questioning the quality of published scientific evidence for influenza vaccine effectiveness and safety for the elderly as well as children.
- Isn't it interesting that pregnant women are warned about limiting their fish intake (d/t heavy metals) yet are commonly vaccinated with the Flu shot during their pregnancies?
- Clearly, if the makers and marketers of vaccines can influence the quality and quantity of the scientific evidence published in the medical literature proving that vaccines are safe and effective -- evidence that is used by states to mandate vaccines and by the U.S. Court of Claims to deny compensation to vaccine injured children -- then Congress was wrong in 1986 to protect the makers and marketers of vaccines from liability for injuries and deaths caused by those vaccines.



Americans forced to get more...

- American citizens are required by law to use more vaccines than any other nation in the world.
- Nowhere else are people subjected to mandatory use of dozens of doses of vaccines under the threat of being denied a public education, health insurance and employment.



February 22, 2011

- U.S. Supreme Court shielded drug companies from all liability for harm caused by vaccines mandated by government when companies could have made a safer vaccine.
- From now on, drug companies selling vaccines in America will not be held accountable by a jury of our peers in a court of law if those vaccines brain damage us but could have been made less toxic. -NVIC Press Release: National Vaccine Information Center Cites "Betrayal of Consumer by US Supreme Court Giving Total Liability Shield to Big "Pharma" Feb 23, 2011.
- If you get paralyzed by a flu shot or your child has a serious reaction to a vaccine required for school and becomes learning disabled, epileptic, autistic, asthmatic, diabetic or mentally retarded, you are on your own.



Pertussis (Whooping Cough)

- Pertussis infections are common in an immunized population...more prevalent than previously documented.”
- 98% were vaccinated in this population. He Q, Vujanen MK, Arvilommi H et al. Whooping cough caused by Bordetella pertussis and Bordetella parapertussis in an immunized population.
 - *Journal of the American Medical Association.* 1998;280:635-637



So much for Herd Immunity

- Outbreaks have occurred in 100% vaccinated populations.
 - Morbidity and Mortality Weekly Report. US Govt. 12/29/89 38(S9): 1-18.
- “80% cases of measles are contracted in vaccinated people.”
 - Morbidity and Mortality Weekly Report. US Govt. 6/6/86 35(22): 366-370.



More Pertussis since vaccination

- With mandatory vaccination and 5 doses of DPT vaccine, pertussis occurs at a far higher rate now than before the introduction of the vaccine. “There is substantial underreporting of pertussis...including hospitalizations.”
 - Sutter RW and Cochi SL. Pertussis hospitalization and mortality in the United States, 1985-1988. JAMA. 1992;267(3):386-390.



Americans are among the most vaccinated in the WORLD

- And we are also the sickest, half of all Americans have at least one chronic disease; 1/5th have 2 or more chronic illnesses.
- Chronic illnesses cause 70% of all deaths.
 - <http://www.whle.to/m/illness.html> AP Nov. 2000. Hoffman C, Rice D, Sung H., Persons with chronic conditions. JAMA 1996; I 276 (18):1473-1479

Table 1
Distribution of the Vaccine Schedule and the S&P 500 Index 18 years prior to the initiation of the SAT to College Bound Seniors

Year	Total ⁴	S&P 500 Index Annual Growth ⁵	Composite SAT ³	Testing Year	Year	Total	S&P 500 Index Annual Growth	Composite SAT	Testing Year
1949	4	10.55%	1,059	1967	1971	8	7.41%	1,006	1989
1950	4	9.91%	1,059	1968	1972	7	6.89%	1,001	1990
1951	4	8.15%	1,057	1969	1973	7	7.35%	998	1991
1952	4	6.44%	1,049	1970	1974	7	9.60%	1,001	1992
1953	4	7.80%	1,045	1971	1975	7	9.41%	1,000	1993
1954	4	7.17%	1,039	1972	1976	7	8.62%	1,003	1994
1955	5	5.19%	1,029	1973	1977	7	10.14%	1,010	1995
1956	5	2.67%	1,026	1974	1978	7	10.82%	1,013	1996
1957	5	3.48%	1,010	1975	1979	7	13.12%	1,016	1997
1958	5	4.46%	1,006	1976	1980	7	13.13%	1,017	1998
1959	5	2.76%	1,003	1977	1981	7	13.74%	1,015	1999
1960	5	3.36%	1,001	1978	1982	7	15.49%	1,019	2000
1961	5	2.48%	998	1979	1983	7	11.80%	1,020	2001
1962	5	4.18%	994	1980	1984	7	10.52%	1,020	2002
1963	6	3.61%	994	1981	1985	7	9.58%	1,026	2003
1964	6	1.41%	997	1982	1986	7	8.93%	1,026	2004
1965	6	3.65%	997	1983	1987	7	7.81%	1,028	2005
1966	6	3.33%	1,001	1984	1988	7	8.97%	1,021	2006
1967	7	3.97%	1,009	1985	1989	8	8.31%	1,017	2007
1968	7	5.02%	1,009	1986	1990	8	7.31%	1,017	2008
1969	8	7.16%	1,008	1987	1991	8	5.33%	1,016	2009
1970	8	7.18%	1,006	1988	1992	8	5.19%	1,017	2010

First Ever Shingles Vaccine Will Hit Shelves Soon...

- The U.S. FDA has approved the first vaccine for adult shingles. The vaccine, known as Zostavax, is intended for use in adults age 60 and older. Studies have shown that it can prevent shingles roughly half the time.
- The market for the vaccine is large, according to spokespeople for Merck, the vaccine's manufacturer. There are approximately 50 million Americans over age 60 and more than 95 percent had chickenpox as children.
- The company originally sought approval to sell the vaccine to adults 50 and older, but the FDA restricted it to those 60 and older because it had not been studied in patients younger than 60.
- Dr. David Markovitz, said that doctors may be tempted to offer "off-label" vaccinations to adults age 50 to 59, but he stressed that the vaccine remains **UNSTUDIED** in such patients and that researchers still don't know how long immunity lasts after vaccination.
- "I don't think I would rush out and get it myself," said Markovitz, who is 52.
- Sources: [WebMD May 25, 2008](#)



Pneumonia Vaccine Ineffective for Elderly

- The pneumonia vaccine, which is recommended for all adults over 65 years of age, DOES NOT REDUCE the risk of contracting the disease, researchers said.
- Each year, some 350,000 to 620,000 elderly Americans are hospitalized with pneumonia and one-third to one-half have a type known as pneumococcal pneumonia.
- However, since the pneumococcal pneumonia immunization targets the bacteria that cause the pneumonia and other diseases, it is only effective when the bacteria, *Streptococcus pneumoniae*, get into the bloodstream.
- But, the bloodstream form of the disease, pneumococcal bacteremia, is relatively uncommon. Only about 60 out of 100,000 seniors contract this form of the disease. Among this small group, the vaccine reduces the risk of contracting the disease by about 50 percent.
- In the largest study to date of the pneumococcal pneumonia vaccine, researchers examined medical data on 47,365 people aged 65 years and older from 1998 through 2001.



NEJM says:

- Researchers found that 1,428 people had been hospitalized with pneumonia, 3,061 had pneumonia but did not require hospitalization and 61 people had blood infections due to pneumococcal bacteria.
- No association was found between pneumococcal vaccination and a reduced risk of pneumonia from any cause, researchers said.
- The findings did show that the vaccination is effective in preventing disease caused by pneumococcal bacteria, so researchers say the current vaccination recommendations are accurate.
- Further research is needed to identify vaccines that will be effective in preventing pneumonia overall, researchers noted.
- Pneumonia affects about 1 million elderly people each year, and pneumonia and influenza combined are the fifth-leading cause of death in older adults.
- **The New England Journal of Medicine May 1, 2003;348:1747-1755**



Vaccines not tested

- Vaccines are not tested for their ability to cause cancer, mutations or developmental malformations or if they will affect the child's reproductive system.
- Shampoos and cosmetics are tested for carcinogenicity (cancer causing ability), vaccines are NOT.



Exemptions

- In the US there are three kinds of vaccination exemption: religious (in all states except WV and MS), medical (every state), and philosophical (in about 30 states).
- The Canadian Constitution permits exemption from vaccination.
- Refer to our www.3000health.com website for Vaccine Exemption packets in OHIO



Summary

- There is no proof vaccinated children are healthier than non-vaccinated children (no studies have been done).
- There is no proof that “benefits” outweigh the risks.
- There is no proof vaccinations are effective.
- Vaccinations cause illness and disease.
- There are no long-term safety studies.
- Vaccines cause crib death (SIDS).
- Deaths from the diseases were mostly dwindling before vaccines came into use.



Summary (cont'd)

- Vaccines contain toxins and poisons.
- Childhood diseases strengthen and mature the immune system.
- Vaccines are linked to cancer, encephalitis and autism (ASD).
- Vaccines may cause genetic damage.
- You CAN legally avoid vaccinations (in most cases).



Final Thought

- Don't forget to tune in to AM 1290 WHIO every Saturday from 11am-12pm EST for "Back to Health Your Guide to Better Living" co-hosted by Dr. Van Merkle, Dr. Andrew Dyer, Tracey Merkle and Dr. Natalie Yahle.
- Thanks for coming out tonight!